

RISK ANALYSIS METHOD FOR OPENCAST MINING PROJECTS

Kholodnjakov G.A., Fomin S.I.,

*Saint Petersburg State Mining University. 199106. Saint Petersburg.
fominsi@mail.ru*

ABSTRACT: The most commonly used methods of project evaluation in mining exploration rely on expected value analysis as criteria for undertaking the project. Expected value methods summarize the attributes of a project by calculating the average outcome on which decisions are based. Risk analysis is a very powerful tool for certain mining processes where decision under uncertainty is involved. A range of methods is available to support project decision making under uncertainty, such as sensitivity analysis, scenario analysis and risk analysis using simulation. Open cast mine is subject to certain inherent risks, which to some degree apply to all participants of the international metals industry.

МЕТОД ЗА АНАЛИЗ НА РИСКА В ПРОЕКТИ ЗА ОТКРИТИ РУДНИЦИ

Г. А. Колоднѝков, С. И. Фомин

*Санкт Петербургски Държавен минен университет. 199106, Санкт Петербург.
fominsi@mail.ru*

РЕЗЮМЕ: Най-често използваните методи за оценка на проекти в минното промишленост се базират на резултатите от анализа на ефективността на проекта. Чрез изчисляване на средните изходни величини, методите за оценка предоставят като крайни изводи най-важните характеристики на проекта. Анализът на риска е много важен елемент за осигуряване на минните процеси, които винаги се реализират при неблагоприятни условия. За обосноваване на проектните решения при неблагоприятни условия се използват поредица от симулативни методи, методи на моделиране и анализ на риска. Съществуващият риск при системите за открито разработване е идентичен с риска в другите области на тежката индустрия.

The most commonly used methods of project evaluation in mining exploration rely on expected value analysis as criteria for undertaking the project. Expected value methods summarize the attributes of a project by calculating the average outcome on which decisions are based.

Risk analysis is a very powerful tool for certain mining processes where decision under uncertainty is involved. A range of methods is available to support project decision making under uncertainty, such as sensitivity analysis, scenario analysis and risk analysis using simulation.

Open cast mine is subject to certain inherent risks, which to some degree apply to all participants of the international metals industry. These include:

- **Commodity Price Fluctuations:** These may be influenced by demand for metals in industry, actual or expected sales by central banks, sales by metal producers in forward transactions and production cost levels in major producing countries.
- **Inflation Rate Fluctuations:** Specifically related to the macro-economic policies of the individual countries.
- **Country Risk:** Specifically country risk including: political, economic, legal, tax, operational and security risks;
- **Exchange Rate Fluctuations.**

- **Legislative Risk:** Specifically changes to future legislation (tenure, mining activity, labour, occupational health, safety and environmental) within the Russian Federation;

- **Exploration Risk:** Resulting from the elapsed time between discovery of deposits, development of economic feasibility studies to bankable standards and associated uncertainty of outcome;

- **Development Project Risk:** Specifically technical risks associated with green field projects for which technical studies are limited to pre-feasibility studies or less and development and production has not commenced.

This risk is the opportunity to re-assess that portion of the Mineral Resource which is amenable to open-pit mining by extending the optimizations process to include Inferred Mineral Resources. Coupled with further drilling to target upgrading of the currently identified Mineral Resource this may well increase the base for modification to produce Ore Reserves on completion of the appropriate technical studies.

With the improvements in computers and the availability of simulation software, risk analysis using Monte Carlo simulation especially has seen a increase in popularity. Software consists of economic and financial analysis for the evaluation of new mine development proposals.

The probabilistic approach used here takes into account the uncertainty associated with the estimation of the economic variables used to assess the profitability of proposals.

In this approach, the variables are defined by probability distributions rather than by point estimates. The analysis technique used in the model, originally referred to as the Monte Carlo simulation technique, consists of an iterative approach which randomly simulates values of the uncertain variables.

In Monte Carlo simulation, a specific operation is mathematically performed thousands of times.

Input data involve estimates of the range of probabilities for the variables. By means of a random number generator, specific values for each variable are chosen at frequencies described by input data. Values for each variable are generated and the resultant answer to the mathematical operations contains the complete range of probable solutions. The answer takes the form of a cumulative probability distribution curve.




Fig.1. Diagram of risk assessment for alternative projects of open cast mining Korpanga iron ore deposit

Mining or exploration is a process which commits company funds to unknown future. The unknowns involve not only geologic uncertainty but a number of critical economic factors such as price, cost, inflation and possible changes in tax laws.

Recommended for publication of Editorial board

The final result process is a probability distribution of possible investment which can be used to assess the attractiveness of the investment proposal. The Net Present Value and DCF Rate of Return criteria are used here for this purpose.

The final result of the model realization are:

- distribution of Net Present Value (NPV);
- risk of the mining project realization (probability of loss, population mean NPV<0);
- distribution of Internal Rate of Return (IRR).

For realization given purposes at Mining Department of Saint Petersburg State Mining Institute (Technical University) was designed model and software.

The results of model realization for project open cast mining Korpanga iron ore deposit are shown in fig. 1, 2 .




Fig.2. Diagram of risk assessment for alternative projects of open cast mining Korpanga iron ore deposit

The output of open cast mines can give distribution of results and can be used to perform sensitivity analysis of various input distribution parameters. In new mineral deposits or exploration areas, where costs are important but not specifically know, the effects of cost variance can be estimated by Monte Carlo simulation.

СЪВРЕМЕННИ СКАЛНИ СТРОИТЕЛНИ МАТЕРИАЛИ

Михаил Петров¹ Радостин Паздеров²

¹"Омикрон" АД", 1527 София, ул. Искър №63а; omicron@ybobg.com

²Минно-геоложки университет "Св. Иван Рилски", 1700 София; rpazderov@abv.bg, georgi.rabadjiev@gmail.com

РЕЗЮМЕ. Съвременното строителство е твърде широко понятие и с него се обозначава целенасочената дейност, при която чрез свързване на строителни материали и строителни изделия се създават сгради или съоръжения с определено предназначение. В съвременното строителство се използва много голям асортимент от строителни материали и изделия, което изисква по-прецизното им дефиниране. Това се налага и от нуждата за създаването на коректни взаимоотношения между производителите на строителни материали и изделия, техните доставчици и изпълнителите на строителния обект. Най-накрая, точното определение на материалите, както и техните количествени характеристики е основно изискване при съдебната практика за решаване на спорове и искове между отделните субекти.

CONTEMPORARY ROCK MATERIALS FOR BUILDING

MIHAIL PETROV¹, RADOSTIN PAZDEROV²

¹"Omikron" JSC", Iskar Str. N63a, 1527 Sofia; omicron@ybobg.com

²University of Mining and Geology "St. Ivan Rilski", 1700 Sofia; rpazderov@abv.bg, georgi.rabadjiev@gmail.com

ABSTRACT. Contemporary building is a loose concept and represents result-oriented activities where creation of the buildings and equipments of fixed function is done by connection of construction materials and construction products. In the contemporary building a very large assortment of construction materials and products is used which requires more precise definition. It is necessary because of the need of correct relationships between the producers of construction materials and products, their deliverers and executors of building. Finally, the precise material definition as well as their quantitative characteristics is the basic requirement in the judicial practice for solving arguments and claims between particular subjects.

Въведение

Основни понятия и определения:

Сградата е архитектурно-строителна постройка от затворени помещения, които служат за обитаване и извършване на определен вид дейност. Според предназначението сградите биват: жилищни, обществени, промишлени и селскостопански.

Строителното съоръжение е завършен строеж, който има промишлено-складово или функционално-технологично предназначение, но не изисква задължително обитаване от хора. Строителните съоръжения, според предназначението биват: обществени, промишлени, транспортни и хидротехнически. Още от древността, строителството е имало важна роля за развитието на човешкото общество. Неговото значение и актуалност е още по-голямо в съвременния свят. Строителството е фундамент на материалната култура на обществото - жилищните и обществени сгради и комплекси, спортните съоръжения, религиозните храмове, паметниците, промишлените комплекси, хидротехническите съоръжения (язовири, напоителни системи и водопроводи), пътнотранспортните съоръжения (шосейни пътища, железопътни линии, мостове, пристанища, летища) и др.

Строителните материали са разнообразни по състав, структура, форма и свойства, естествени и син-

тетични (в т.ч. и изкуствени – без природен аналог) вещества от неорганичен и органичен произход, които се използват в строителството. Строителните материали се произвеждат от т.нар. суровини.

Суровините са първични необработени вещества, добивани от природата, от които директно или чрез преработка се получават материали (продукти), използвани в различни производства в т.ч. и в строителството.

Природни източници за добив на суровини за строителството. Необходимо е да се отбележи, че с изключение на някои органични суровини като дървесината и естественият каучук - продукти на растителния свят, почти всички други суровини за съвременното строителство се добиват от т.нар. находища, намиращи се на повърхността или в недрата на земята.

Находището на полезни изкопаеми респ. подземни богатства, е естествено концентриране на минерални вещества в земната кора, които по качество, количество, условия на залягане, инфраструктурно положение, конюнктура на пазара и не на последно място – съобразено с екологичните изисквания, е икономически изгодно за промишлено използване към определен момент от време.

Подземните богатства по смисъла на Закона за подземните богатства [1] са полезните изкопаеми и минните отпадъци от добива и първичната им преработка, групирани като: