PROBLEM OF OPTIMAL DISPOSITION OF RESOURCES IN PROJECT REALISATION: APPLICATION OF MODIFIED MUNKERS' ALGORITHM

Dragisa Stanujkic¹, Nedeljko Magdalinovic¹, Rodoljub Jovanovic¹

¹Megatrend University, Faculty of management, Park Suma "Kraljevica" bb, 19000 Zajecar, Serbia

ABSTRACT: The assignment problem belongs to the class of optimization problem. In this paper is given an example of usage of assignment problem solving for a process optimization in projects realization.

ПРОБЛЕМИ, СВЪРЗАНИ С ОПТИМАЛНО РАЗПОЛАГАНЕ НА ТРУДОВИ РЕСУРСИ ПРИ РЕАЛИЗИРАНЕТО НА ПРОЕКТ: ПРИЛОЖЕНИЕ НА МОДИФИЦИРАН АЛГОРИТЪМ НА МУНКЕРС

Драгиша Станукич¹,Неделко Магдалинович¹, Родолюб Йованович¹

¹Университет Мегатред, Факултет по мениджмънт, Парк Сума "Кралиевича" bb, 19000 Зайчар, Сърбия

РЕЗЮМЕ: Проблемът, свързан с наемането на работна ръка принадлежи към категорията оптимизационни. В доклада е даден пример за оптималното решението на проблемите, възникващи при изпълнението на проекти.

Introduction

One of the very important goals of project realization is its realization within the limits of the planned costs. When dealing with large projects, the right assignment of the resources can have a significant influence on the project total costs.

A brutal-force algorithm for solving the assignment problem involves generating all possible combinations of assignment, computing the total costs of each assignment and a search of all assignment to find a minimal-sum.

The complexity of this method is driven by the number of possible independent assignments. If there are n possible choices for the first assignment, n-1 choices for the second assignment and so on, giving n! possible assignment set. Therefore, this aproach has, at least, an exponential runtime complexity.

Some researches aimed to development of "intelligent" computer programmes give priority to development of algorithms and softwares by which can be aplaed some rational proceeding of decision making.

In this paper is given modification of Munkres' Algorithm which is more made for optimal disposition of resources than for computer application. But it is still very significant actual algorytham which is, with some modifications, example of "intelligent" algorithm. This algorithm solves the tasks by using the algorytham logics, apropos by capability of aping of rational proceeding of human decision making.

The Model of Assignment

The main purpose of this model is the assignment of a certain number of workers or resources intended for specific jobs.

The optimization of the assignment of workers or resources in charge of specific jobs is realized through the model in which the function of the goal represents the demand for the minimization of costs of the given assignment, and can be represented as follows:

(min)
$$Z = \sum_{i=1}^{m} \sum_{j=1}^{n} c_{ij} x_{ij}$$
 (1)

Whereby x_{ij} stands for the variable which shows engagement or non-engagement of worker *i* in charge of job *j*, and c_{ij} stands for the costs worker *i* makes during job *j*.

If worker *m* is supposed to be assigned job *n*, whereby the assignment is such that it requires minimal costs for doing the job, the assignment model will be the following:

(min)
$$Z = \sum_{i=1}^{m} \sum_{j=1}^{n} c_{ij} x_{ij}$$

 $\sum_{i=1}^{m} x_{ij} = 1$ $i = 1, 2, ..., n$ (2)
 $\sum_{j=1}^{n} x_{ij} = 1$ $j = 1, 2, ..., n$

The variable x_{ij} can be either 0 or 1, and it shows engagement, that is non-engagement, of worker *i* for job *j*.

Thus defined model represents a special form of the linear programming model (the so-called 0-1 programming)

In order to solve the assignment problem, the number of workers has to be equal to the number of jobs (m=n).

The importance of solving the problem defined in this way lies in the fact that there is a large number of possible assignments, but optimization means that a worker is assigned a job which secures the lowest total costs.

Mathematical Statement of Assignment Problem

Given the n X n matrix (C_{ij}) of real numbers, find a permutation p (p_i , i=1,..., n) of the integers 1, 2, ... n that minimizes

$$(\min) \sum_{i=1}^{n} c_{ip_i} \tag{3}$$

Example:

For the 4 X 4 matrix

$$C = \begin{bmatrix} 22 & 12 & 16 & 15 \\ 20 & 12 & 24 & 20 \\ 30 & 16 & 22 & 30 \\ 8 & 12 & 10 & 8 \end{bmatrix}$$

there are 24 possible permuatations $(4! = 4 \times 3 \times 2 \times 1 = 24)$.

The possible permuatations and the associated sums are given in table 1.

Table 1

	Р	$\sum_{i=1}^n a_{ip_i}$
(1)	1234	64
(2)	1243	74
(3)	1324	70
(22)	4231	57
(24)	4321	63

Permutation 22 gives the smallest sum, that is, permutation 4 2 3 1 and the associated sum Σ c_{14} + c_{22} + c_{33} + c_{41} = 15+12+22+8 which is 57.

An Algorithm for the Assignment Problem

The so-called Hungarian Algorithm, named after Hungarian mathematician D.Konig who devised it, is used for solving model (2). This numerical method is based on minimizing the so-called opportunistic costs that are the result of non-engagement of the most efficient worker.

The method of assignment optimization is based on *n* usage of matrix C whose elements are quotens of the goal function, that is indicators of workers' efficiency in doing the jobs.

If *m* workers are needed for doing *n* jobs , efficiency matrix C is as follows:

$$C = \begin{bmatrix} c_{11} & c_{12} & \dots & c_{1n} \\ c_{21} & c_{22} & \dots & c_{2n} \\ \dots & \dots & \dots & \dots \\ c_{n1} & c_{n2} & \dots & c_{nn} \end{bmatrix}$$
(4)

Whereby *c_{ij}* stands for the costs *i* worker makes while doing *j* job.



-

Figure 1. Selection of optimal disposition (Munkers' Algorithm)

Finding the optimal assignment within which the right worker is found for a specific job ensuring the minimal costs, is realized in three main phases:

Optimization Phase I

For each row of the matrix, find the smallest element and subtract it from every element in its row.

After that the similar approach is applied to the rows of the matrix, that is, for each row of the matrix the smallest element is found, which is then subtracted from every element in its row of the matrix.

The application of these steps in Phase I leads to forming matrix C' which has in each row at least one element c_{ij} whose value is 0.

Matrix C' is the starting matrix from which we continue the optimization process in phases II and III.

Optimization Phase II

In matrix C' we identify the so-called starred zeros and primed zeros.

The simplest way of identifying starred and primed zeros is the following:

- The zeros within the rows are starred while the remaining zeros within the corresponding colums are primed.
- In the rows with a greater number of zeros, the starred zeros are assigned to the remaining rows starting from the rows with the smallest number of zeros paying attention to the fact that there can be only one starred zero in each row.

The optimal solution is found if the number of starred zeros is equal to the number of rows of the matrix, whereby the starred zeros identify the elements in the matrix whose sum represents the optimal assignment problem solving.

Named "step" of selection of optimal disposition is very important.

Proceeding of determination of independent zeros is especially important if there are more zeros in some row, becouse that is reflected on selection of independent zeros in other raws. Unadequate selection of independent zero in some raw affect adverse to repetition of proceedings which is done in order to get optimal disposition.

In our approach of determination of optimal disposition by modificated Munkers algorytham, selection of independent zeros is done by proceeding which is known in artificial intelligence as "Generate all and test".

Common term for set of all possible solutions of certain problem is space of states, from where is chosen the optimal and applicable solution by adequate proceeding and rationally made algorythams.

In our approach of getting solution of problem, rummage of space of states is done by proceeding "in depth first" with test interruption of unadequate combinations. This affects to number of tested combinations, as well as to time needed for getting the solution.

In order to generate and testing possible solutions it is applied so called recursived or self appellated functions which assure generation of all possible solutions.



Figure 2. Example of "in depth first" searching of solution space

Generation of all possible combinations of independent zeros is done by using the following programme code i.e. by using the recursive function TestOptimal:

```
Private Sub TestOptimal(ByVal II)
```

```
For IJ = 1 To NumOfCols
If MyMatrix(II, IJ, 1) = 0 Then
If mySyccess = False Then
MyOptimal(II) = IJ
End If
If isOptimal(II) Then
If II < NumOfRows Then
TestOptimal(II + 1)
End If
End If
End If
Next
End Sub
```

Finding of optimal dispositon is done by using the following programme code i.e. by using the function isOptimal:

```
Private Function isOptimal(ByVal IN) As Boolean
Dim IcInd As Boolean
Dim II As Integer
```

```
IcInd = True
  For II = 1 To IN - 1
    If MyOptimal(IN) = MyOptimal(II) Then
       IcInd = False
       Exit For
    End If
  Next
  If IcInd = True Then
    isOptimal = True
    If IN = NumOfRows Then
       mySyccess = True
    End If
  Else
    isOptimal = False
  End If
End Function
```

Otherwise we use vertical and horizontal lines to 'cover' the rows and columns in matrix C' which contain a zero value, whereby the minimal number of lines is used to cover the rows and columns with a zero value, and then we proceed to the third optimization phase.

Optimization Phase III

This phase of the process of finding the optimal solution is realized following the given steps:

- defining the minimal element in matrix C' which is not covered ,
- the minimal noncovered element in matrix C' is subtracted from all noncovered elements in the matrix,
- the minimal noncovered element in matrix C' is added to the twice covered elements in the matrix,

 the remaining, once covered elements in matrix C' remain unchanged.

After the third phase, matrix C' is modified and the same process is repeated in phases II and III until the number of primed zeros is equal to the number of rows in matrix C'.

Example

We will show the assignment problem solving through an example given in the book Scientific Bases of Project Management (Naučne osnove upravljanja projektima):

There are four trucks (A, B, C, D) and four truck drivers for the transport of a larger amount of material (broken stone) needed for the construction of a part of the highway, that is analogue example for many other problems. It has been measured and determined that each driver needs a specific period of time for each round, as is shown in table 2.

Table 2

truck driver	А	В	С	D
I	22	12	16	15
II	20	12	24	20
III	30	16	22	30
IV	8	12	10	8

That is,

$$C = \begin{bmatrix} 22 & 12 & 16 & 15 \\ 20 & 12 & 24 & 20 \\ 30 & 16 & 22 & 30 \\ 8 & 12 & 10 & 8 \end{bmatrix}$$

After the first optimization phase, we have the following matric C':

	10	0^{*}	2	3	
<i>C</i> ' –	8	0	10	8	
U –	14	0	4	14	
	0	4	0^{*}	0	

Since the number of starred zeros (0^*) is smaller than the number of the rows in matrix C' after the first optimization phase, the optimization process is continued through the second and then the third phase.

The optimal solution is found after the third iteration after which matrix *C'* is as follows:

Ċ	7	2	0	0^{*}
	3	0^{*}	6	3
C –	9	0	0^{*}	9
	0^{*}	9	1	0

The optimal assignment of the drivers and the trucks and the needed working hours for the job is shown in table 3.

Table 3

Driver	Truck	Time (min)
1	D	15
2	В	12
3	С	22
4	А	8
	Total time:	57

No other assignment gives shorter time than this one (57 minutes).

Conclusion

Optimization of the assignment of resources leads to a significant reduction of the costs, which is especially important when planning large projects.

The larger the number of alternatives (n), the larger the number of the possible assignment varieties (n! varieties). Nowadays computers can solve this problem of varieties and they can do taht rather fast. Yet, the Munkres' Assignment Algorithm is still an effective solution to this problem, even when we use a computer.

There are numerous varieties (modifications) of the above mentioned algorithm. However, we used our own version devised at the Faculty of Management in Zajecar for the example given in this thesis.

References

- Magdalinović N., Jovanović R. 2006., Naučne osnove upravljanja projektima, Megatrend University of Applied Sciences – Faculty of Management – Zajecar.
- Munkers J. 1957. Algorithms for the Assignment and Transportation Problems, J. Siam 5 (Mar. 1957), 32-38

Recommended for publication by the Editorial board